

Certificate of Analysis

Client:**Cellgenic****Datran Center 9100 S Dadeland Boulevard,****Suite 1500. Miami FL. 33156 United States.****Email: info@stemcellsgroup.com****Phone: +1 305 560 5337**

Amino Acids Sequence (Semaglutide)

His-Ala-Glu-Gly-Thr-Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu-Glu-Gly-Gln-Ala-Ala-Lys(Aib)-Gly-Glu-Gly-Gly-Thr-Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu-Glu

Sample Identification

Sample Name	Semaglutide 30 mg	Batch Number	SEM3020-01	Date Published	1-APR-2026
-------------	-------------------	--------------	------------	----------------	------------

Results for SEM3020-01 SEMAGLUTIDE

Analysis of Peptide Identity, Content and Purity	ResultUnit	Uncertainty	Reporting Limit
--	------------	-------------	-----------------

Semaglutide Assay	30.72 mg	[± 0.15]	
Peptide Screening			

Semaglutide Identification by RT	18.95	[± 0.08]	
Peptide Screening			

Semaglutide Identification by spectrum	4118	[± 20]	
Peptide Screening			

Semaglutide Purity	> 99.5 %	[± 0.5]	
Peptide Screening			

Bioburden	ResultUnit	Uncertainty	Reporting Limit
-----------	------------	-------------	-----------------

Total Aerobic Microbial Count	Not detected CFU/g		>= 1000 △
USP <61> Plate Count Method			

Total Yeast and Mold Count	Not detected CFU/g		>= 100 △
USP <61> Plate Count Method			

Endotoxin Analysis	ResultUnit	Uncertainty	Reporting Limit
--------------------	------------	-------------	-----------------

Bacterial Endotoxin	< 0.001 EU/mg		> 0.5 △
USP<85> Bacterial Endotoxin Chromogenic Test			

Heavy Metals	ResultUnit	Uncertainty	Reporting Limit
--------------	------------	-------------	-----------------



Quality Assurance

SIGNED CERTIFICATION

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of Cellgenic Laboratories.

Edwin Hoag

Edwin Hoag, MD, PhD

Inspecting QA/QC Manager · Cellgenic Laboratories



Datran Center · 9100 S Dadeland Boulevard, Suite 1500 · Miami, FL 33156 · United States
info@stemcellsgroup.com · +1 305 560 5337 · cellgenic.com


Analysis Dashboard

Semaglutide

• Batch: SEM3020-01 • 1-APR-2026

HPLC Chromatogram

HIGH PERFORMANCE LIQUID CHROMATOGRAPHY • PURITY ANALYSIS




Column: C18, 250x4.6 mm, 5µm Mobile phase: H₂O/ACN + 0.1% TFA Detection: UV 220 nm

RT: 18.95 min Purity: > 99.5%

Mass Spectrum

ELECTROSPRAY IONIZATION MASS SPECTROMETRY • IDENTITY CONFIRMATION



Ionization: ESI+, positive mode Instrument: LC-MS/MS Observed: 4118 m/z Identity: Confirmed ✓